Docket No. AUS920010291US1

CLAIMS:

What is claimed is:

5

1. A method in a data processing system for handling a situation, the method comprising:

responsive to detecting a situation, applying an 10 aging function to the situation; and

presenting alerts regarding the situation based on the aging function.

- 2. The method of claim 1, wherein the aging function is a decay function.
 - 3. The method of claim 1, wherein the aging function includes a user settable threshold.
- 20 4. The method of claim 1, wherein the aging function is an increasing time function.
- 5. The method of claim 4, wherein the increasing time function is one of a linear function or an exponential function.
 - 6. The method of claim 1, wherein the aging function is a decreasing function.
- 30 7. The method of claim 6, wherein the decreasing function is a half-life function.

Docket No. AUS920010291US1

8. The method of claim 1, wherein the presenting step comprises:

displaying the alert on a console.

- 5 9. The method of claim 1, wherein the situation is one of a denial of server, a suspicious Web server request, or an unauthorized access of a server.
- 10. A method in a data processing system for handling a situation, the method comprising:

monitoring for events;

responsive to detecting an event, which triggers a situation, applying an aging function to the situation, wherein the aging function is used to identify a severity of the situation; and

presenting an alert for the situation based on the severity of the situation identified by the aging function.

- 20 11. The method of claim 10, wherein the situation includes a set of events.
 - 12. The method of claim 11, wherein the set of events form a denial of service attack.

25

- 13. A data processing system comprising:
 - a bus system;
 - a communications unit connected to the bus system;
 - a memory connected to the bus system, wherein the
- 30 memory includes a set of instructions; and

5

Docket No. AUS920010291US1

a processing unit connected to the bus system, wherein the processing unit executes the set of instructions to apply an aging function to the situation in response to detecting a situation; and present alerts regarding the situation based on the aging function.

14. A data processing system for handling a situation, the data processing system comprising:

applying means, responsive to detecting a situation,

10 for applying an aging function to the situation; and

presenting means for presenting alerts regarding the
situation based on the aging function.

- 15. The data processing system of claim 14, wherein the aging function is a decay function.
 - 16. The data processing system of claim 14, wherein the aging function includes a user settable threshold.
- 20 17. The data processing system of claim 14, wherein the aging function is an increasing time function.
- 18. The data processing system of claim 17, wherein the increasing time function is one of a linear function or an exponential function.
 - 19. The data processing system of claim 14, wherein the aging function is a decreasing function.
- 30 20. The data processing system of claim 19, wherein the decreasing function is a half-life function.

Docket No. AUS920010291US1

21. The data processing system of claim 14, wherein the presenting means comprises:

means for displaying the alert on a console.

- 5 22. The data processing system of claim 14, wherein the situation is one of a denial of server, a suspicious Web server request, or an unauthorized access of a server.
- 23. A computer program product in a computer readable medium for handling a situation, the computer program product comprising:

first instructions, responsive to detecting a situation, for applying an aging function to the situation; and

second instructions for presenting alerts regarding the situation based on the aging function.